10/015 040	
10/815,848	KOGA ET AL.
Examiner	Art Unit
Diem Tran	3748
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.	
peen received. Deen received in Application No	 national stage application from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.	
be submitted.  n's Patent Drawing Review ( PTO-  Amendment / Comment or in the O  4(c)) should be written on the drawing the according to 37 CFR 1.121(c)	office action of age in the front (not the back) of
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
6. ☐ Interview Summary Paper No./Mail Dat ), 7. ☐ Examiner's Amendn	e
	Examiner  Diem Tran  rs on the cover sheet with the coord REMAINS) CLOSED in this appropriate communication is subject to and MPEP 1308.  er 35 U.S.C. § 119(a)-(d) or (f).  Deen received. Deen received in Application No

Application/Control Number: 10/815,848

Art Unit: 3748

## REASON FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The claimed combination including the limitations directed to estimating a trapped diesel particulate matter (DPM) amount in the filter on the basis of a pressure loss in the filter during running following uninterrupted completion of the previous regeneration processing in the previous regeneration processing of the filter, and estimating a trapped DPM amount in the filter on the basis of a discharged DPM amount during running following an interruption in the previous regeneration processing in the course of the previous regeneration processing of the filter, is not disclosed nor rendered obvious over the art of record.

## Conclusion.

Any inquiry concerning this communication from the examiner should be directed to Examiner Diem Tran whose telephone number is (571) 272-4866. The examiner can normally be reached on Monday -Friday from 8:00 a.m. - 6:00p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion, can be reached on (571) 272-4859. The fax number for this group is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the

Page 3

Private PAIR system, contact the Electronic Business Center (EBC) at 800-786-9199 (toll-

free).

Diem Tran

Patent Examiner

Art unit 3748

DT October 3, 2005

THOMAS DENION

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700